



## Default Guide

### StatCounter Code for Default Guide

- Standard
- Standard (xhtml)
- Basic
- Basic (xhtml)

```

<!-- Start of StatCounter Code for Default Guide -->
<script type="text/javascript">
var sc_project=9712630;
var sc_invisible=1;
var sc_security="e9dc1d16";
var scJsHost = (("https:" == document.location.protocol) ?
"https://secure." : "http://www.");
document.write("<sc"+'ript type='text/javascript' src="" +
scJsHost+

```

Copy to Clipboard

### Help!

If you aren't comfortable editing HTML code (or don't have admin access), we can send the code and a copy of these instructions to the person who updates your website:

These instructions assume that you are installing StatCounter on a standard, directly edited website (i.e. that you access and edit the raw code of the site).

Administrator's Email:



1. Copy the code above (CTRL+C)
2. You now need to access the raw code of your website. The raw code of your site will look something like this:

```

<html>
<body bgcolor="#d0d0d0">


<p>
This is a very basic sample of a single page on a website.
</p>

<p>
While most websites will be much more complicated than this one, the basic structure will
remain the same.
</p>

</body>
</html>

```

3. Generally, you access the raw code of your website using the FTP login details for the site.
4. The FTP details will usually be available from the hosting provider (e.g. HostGator or JustHost.com in Ireland) OR from your Server Administrator.
5. You can use any website editing software e.g. Editplus to log into your site and edit the raw code.



6. It's very important to install StatCounter in the correct place on your website i.e. just inside the closing "body" tag - `</body>` - as indicated below. Simply copy and paste your StatCounter code into this position on each page of your website. Don't forget to save your changes.

```

<html>
<body bgcolor="#d0d0d0">

<p>
This is a very basic sample of a single page on a website.
</p>

<p>
While most websites will be much more complicated than this one, the basic structure will
remain the same.
</p>

<!-- Start of StatCounter Code -->
<script type="text/javascript">
....etc etc etc... </noscript>
<!-- End of StatCounter Code -->

</body>
</html>

```

7. If your website contains a small number of pages it will be easy to do this manually for each page. If your website contains a large number of pages, you may want to investigate installing StatCounter automatically on all pages of your site, or perhaps editing the template of your website (if used) to include StatCounter in the footer of all your pages.

## Continue

When you are satisfied that the code has been installed correctly, StatCounter will visit <https://www.libertinlifestyle.ca> to check that the installation is working. (Skip this step)

## Other Installation Guides

### Default

Adobe Pagemill 3.0  
Avon  
BBEdit  
Beep  
Blogger  
Blogger Dynamic Views  
BluDomain  
Britnett  
ClubRunner  
ComfyPage  
Contribute  
deviantART  
DoYourOwnSite  
Dreamweaver  
DreamWidth  
Drupal  
Flickr  
Friendster  
Frontpage 2000  
Frontpage 2002  
Frontpage 97/Express  
GoDaddy Website Tonight  
Google Sites  
Hot Dog Professional  
HoTMetaL Pro  
IMCreator  
iWeb  
Jimdo  
Joomla  
Last.fm  
Microsoft Office Live  
Microsoft Publisher  
MSN Groups  
MSN Spaces  
Multiply  
MyBoomerPlace  
MySpace  
Net Objects Fusion  
Netscape Composer  
NVU editor  
PBase  
Photodeck  
Posterous  
ProPhoto Blog  
Qufoto  
Register.com  
SingSnap  
SiteSkins

SmugMug  
Tagged  
theimagefile  
Tripod  
Tumblr  
TypePad  
vBulletin  
Vistaprint  
Visual Page 2.0  
Webs  
WebStarts  
Weebly  
Wikispaces  
Wix  
WordPress  
Xanga  
Xara  
Yahoo! Online Store  
Yahoo Groups  
Yahoo! Site Builder  
Yola  
Yuku  
Zenfolio  
Zine Studio

## **More Help:**

If you are having any problems at all with installation of the code on your website, please email us at [support@statcounter.com](mailto:support@statcounter.com) with your question. We will reply as soon as possible — usually within 24 hours.